


# Two Samples, Dot+Box Plots

Population distributions

Population  
Girls aged 13


Population  
Girls aged 14

30




# Two Samples, Dot+Box Plots

Population distributions



*Unfortunately, we do not get to see this!*




# Two Samples, Dot+Box Plots

## Population distributions



***Unfortunately, we do not get to see this!***




# Two Samples, Dot+Box Plots

Population distributions: The unseen world



Plots for samples of size 30

*(An investigator only gets to see one frame from this movie)*




# Two Samples, Dot+Box Plots

Population distributions: The unseen world




Plots for samples of size 30

*(An investigator only gets to see one frame from this movie)*




# Two Samples, Dot+Box Plots

Population distributions: The unseen world



Plots for samples of size 30

*(An investigator only gets to see one frame from this movie)*




# Two Samples, Dot+Box Plots

Population distributions: The unseen world



Plots for samples of size 30

*(An investigator only gets to see one frame from this movie)*




# Two Samples, Dot+Box Plots

Population distributions: The unseen world



Plots for samples of size 30

*(An investigator only gets to see one frame from this movie)*






# Two Samples, Dot+Box Plots

Population distributions: The unseen world



Plots for samples of size 30

*(An investigator only gets to see one frame from this movie)*




# Two Samples, Dot+Box Plots

Population distributions: The unseen world



Plots for samples of size 30

*(An investigator only gets to see one frame from this movie)*




# Two Samples, Dot+Box Plots

Population distributions: The unseen world



Plots for samples of size 30

*(An investigator only gets to see one frame from this movie)*




# Two Samples, Dot+Box Plots

Population distributions: The unseen world



Plots for samples of size 30

*(An investigator only gets to see one frame from this movie)*




# Two Samples, Dot+Box Plots

Population distributions: The unseen world




Plots for samples of size 30

*(An investigator only gets to see one frame from this movie)*




# Two Samples, Dot+Box Plots

Population distributions: The unseen world




Plots for samples of size 30

*(An investigator only gets to see one frame from this movie)*




# Two Samples, Dot+Box Plots

Population distributions: The unseen world



Plots for samples of size 30

*(An investigator only gets to see one frame from this movie)*




# Two Samples, Dot+Box Plots

Population distributions: The unseen world



Plots for samples of size 30

*(An investigator only gets to see one frame from this movie)*






# Two Samples, Dot+Box Plots

Population distributions: The unseen world



Plots for samples of size 30

*(An investigator only gets to see one frame from this movie)*




# Two Samples, Dot+Box Plots

Population distributions: The unseen world



Plots for samples of size 30

*(An investigator only gets to see one frame from this movie)*




# Two Samples, Dot+Box Plots

Population distributions: The unseen world



Plots for samples of size 30

*(An investigator only gets to see one frame from this movie)*




# Two Samples, Dot+Box Plots

Population distributions: The unseen world



Plots for samples of size 30

*(An investigator only gets to see one frame from this movie)*




# Two Samples, Dot+Box Plots

Population distributions: The unseen world



Plots for samples of size 30

*(An investigator only gets to see one frame from this movie)*




# Two Samples, Dot+Box Plots

Population distributions: The unseen world



Plots for samples of size 30

*(An investigator only gets to see one frame from this movie)*




# Two Samples, Dot+Box Plots

Population distributions: The unseen world



Plots for samples of size 30

*(An investigator only gets to see one frame from this movie)*




# Two Samples, Dot+Box Plots

Population distributions: The unseen world



Plots for samples of size 30

*(An investigator only gets to see one frame from this movie)*






# Two Samples, Dot+Box Plots

Population distributions: The unseen world



Plots for samples of size 30

*(An investigator only gets to see one frame from this movie)*




# Two Samples, Dot+Box Plots

Population distributions: The unseen world



Plots for samples of size 30

*(An investigator only gets to see one frame from this movie)*




# Two Samples, Dot+Box Plots

Population distributions: The unseen world




Plots for samples of size 30

*(An investigator only gets to see one frame from this movie)*




# Two Samples, Dot+Box Plots

Population distributions: The unseen world



Plots for samples of size 30

*(An investigator only gets to see one frame from this movie)*




# Two Samples, Dot+Box Plots

Population distributions: The unseen world




Plots for samples of size 30

*(An investigator only gets to see one frame from this movie)*




# Two Samples, Dot+Box Plots

Population distributions: The unseen world



Plots for samples of size 30

*(An investigator only gets to see one frame from this movie)*




# Two Samples, Dot+Box Plots

Population distributions: The unseen world



Plots for samples of size 30

*(An investigator only gets to see one frame from this movie)*




# Two Samples, Dot+Box Plots

Population distributions: The unseen world



Plots for samples of size 30

*(An investigator only gets to see one frame from this movie)*






# Two Samples, Dot+Box Plots

Population distributions: The unseen world



Plots for samples of size 30

*(An investigator only gets to see one frame from this movie)*




# Two Samples, Dot+Box Plots

Population distributions: The unseen world



Plots for samples of size 30

*(An investigator only gets to see one frame from this movie)*




# Two Samples, Dot+Box Plots

Population distributions: The unseen world



Plots for samples of size 30

*(An investigator only gets to see one frame from this movie)*




# Two Samples, Dot+Box Plots

Population distributions: The unseen world



Plots for samples of size 30

*(An investigator only gets to see one frame from this movie)*




# Two Samples, Dot+Box Plots

Population distributions: The unseen world




Plots for samples of size 30

*(An investigator only gets to see one frame from this movie)*




# Two Samples, Dot+Box Plots

Population distributions: The unseen world




Plots for samples of size 30

*(An investigator only gets to see one frame from this movie)*




# Two Samples, Dot+Box Plots

Population distributions: The unseen world



Plots for samples of size 30

*(An investigator only gets to see one frame from this movie)*




# Two Samples, Dot+Box Plots

Population distributions: The unseen world



**Plots for samples of size 30**

*(An investigator only gets to see one frame from this movie)*






# Two Samples, Dot+Box Plots

Population distributions: The unseen world



**Plots for samples of size 30**

*(An investigator only gets to see one frame from this movie)*




# Two Samples, Dot+Box Plots

Population distributions: The unseen world



**Plots for samples of size 30**

*(An investigator only gets to see one frame from this movie)*




# Two Samples, Dot+Box Plots

Population distributions: The unseen world



Plots for samples of size 30

*(An investigator only gets to see one frame from this movie)*




# Two Samples, Dot+Box Plots

Population distributions: The unseen world



Plots for samples of size 30

*(An investigator only gets to see one frame from this movie)*




# Two Samples, Dot+Box Plots

Population distributions: The unseen world




Plots for samples of size 30

*(An investigator only gets to see one frame from this movie)*




# Two Samples, Dot+Box Plots

Population distributions: The unseen world



Plots for samples of size 30

*(An investigator only gets to see one frame from this movie)*




# Two Samples, Dot+Box Plots

Population distributions: The unseen world



Plots for samples of size 30

*(An investigator only gets to see one frame from this movie)*




# Two Samples, Dot+Box Plots

Population distributions: The unseen world



Plots for samples of size 30


*(An investigator only gets to see one frame from this movie)*






# Two Samples, Dot+Box Plots

Population distributions: The unseen world



Plots for samples of size 30

*(An investigator only gets to see one frame from this movie)*




# Two Samples, Dot+Box Plots

Population distributions: The unseen world



Plots for samples of size 30

*(An investigator only gets to see one frame from this movie)*




# Two Samples, Dot+Box Plots

Population distributions: The unseen world



Plots for samples of size 30

*(An investigator only gets to see one frame from this movie)*




# Two Samples, Dot+Box Plots

Population distributions: The unseen world



Plots for samples of size 30

*(An investigator only gets to see one frame from this movie)*




# Two Samples, Dot+Box Plots

Population distributions: The unseen world




Plots for samples of size 30

*(An investigator only gets to see one frame from this movie)*




# Two Samples, Dot+Box Plots

Population distributions: The unseen world



Plots for samples of size 30

*(An investigator only gets to see one frame from this movie)*




# Two Samples, Dot+Box Plots

Population distributions: The unseen world



Plots for samples of size 30

*(An investigator only gets to see one frame from this movie)*




# Two Samples, Dot+Box Plots

Population distributions: The unseen world



Plots for samples of size 30

*(An investigator only gets to see one frame from this movie)*






# Two Samples, Dot+Box Plots

Population distributions: The unseen world



Plots for samples of size 30

*(An investigator only gets to see one frame from this movie)*




# Two Samples, Dot+Box Plots

Population distributions: The unseen world



Plots for samples of size 30

*(An investigator only gets to see one frame from this movie)*




# Two Samples, Dot+Box Plots

Population distributions: The unseen world




Plots for samples of size 30

*(An investigator only gets to see one frame from this movie)*




# Two Samples, Dot+Box Plots

Population distributions: The unseen world



Plots for samples of size 30

*(An investigator only gets to see one frame from this movie)*




# Two Samples, Dot+Box Plots

Population distributions: The unseen world




Plots for samples of size 30

*(An investigator only gets to see one frame from this movie)*




# Two Samples, Dot+Box Plots

Population distributions: The unseen world



**Plots for samples of size 30**

*(An investigator only gets to see one frame from this movie)*




# Two Samples, Dot+Box Plots

Population distributions: The unseen world



Plots for samples of size 30

*(An investigator only gets to see one frame from this movie)*




# Two Samples, Dot+Box Plots

Population distributions: The unseen world



Plots for samples of size 30


*(An investigator only gets to see one frame from this movie)*






# Two Samples, Dot+Box Plots

Population distributions: The unseen world



Plots for samples of size 30

*(An investigator only gets to see one frame from this movie)*




# Two Samples, Dot+Box Plots

Population distributions: The unseen world



Plots for samples of size 30

*(An investigator only gets to see one frame from this movie)*




# Two Samples, Dot+Box Plots

Population distributions: The unseen world



Plots for samples of size 30

*(An investigator only gets to see one frame from this movie)*




# Two Samples, Dot+Box Plots

Population distributions: The unseen world



Plots for samples of size 30

*(An investigator only gets to see one frame from this movie)*




# Two Samples, Dot+Box Plots

Population distributions: The unseen world



Plots for samples of size 30

*(An investigator only gets to see one frame from this movie)*




# Two Samples, Dot+Box Plots

Population distributions: The unseen world



Plots for samples of size 30

*(An investigator only gets to see one frame from this movie)*




# Two Samples, Dot+Box Plots

Population distributions: The unseen world



Plots for samples of size 30

*(An investigator only gets to see one frame from this movie)*




# Two Samples, Dot+Box Plots

Population distributions: The unseen world



Plots for samples of size 30

*(An investigator only gets to see one frame from this movie)*






# Two Samples, Dot+Box Plots

Population distributions: The unseen world




Plots for samples of size 30

*(An investigator only gets to see one frame from this movie)*




# Two Samples, Dot+Box Plots

Population distributions: The unseen world



Plots for samples of size 30

*(An investigator only gets to see one frame from this movie)*




# Two Samples, Dot+Box Plots

Population distributions: The unseen world



Plots for samples of size 30

*(An investigator only gets to see one frame from this movie)*




# Two Samples, Dot+Box Plots

Population distributions: The unseen world



Plots for samples of size 30

*(An investigator only gets to see one frame from this movie)*




# Two Samples, Dot+Box Plots

Population distributions: The unseen world




Plots for samples of size 30

*(An investigator only gets to see one frame from this movie)*




# Two Samples, Dot+Box Plots

Population distributions: The unseen world



Plots for samples of size 30

*(An investigator only gets to see one frame from this movie)*




# Two Samples, Dot+Box Plots

Population distributions: The unseen world



Plots for samples of size 30

*(An investigator only gets to see one frame from this movie)*




# Two Samples, Dot+Box Plots

Population distributions: The unseen world



Plots for samples of size 30

*(An investigator only gets to see one frame from this movie)*






# Two Samples, Dot+Box Plots

Population distributions: The unseen world




Plots for samples of size 30

*(An investigator only gets to see one frame from this movie)*




# Two Samples, Dot+Box Plots

Population distributions: The unseen world



Plots for samples of size 30

*(An investigator only gets to see one frame from this movie)*




# Two Samples, Dot+Box Plots

Population distributions: The unseen world



Plots for samples of size 30

*(An investigator only gets to see one frame from this movie)*




# Two Samples, Dot+Box Plots

Population distributions: The unseen world




Plots for samples of size 30

*(An investigator only gets to see one frame from this movie)*




# Two Samples, Dot+Box Plots

Population distributions: The unseen world




Plots for samples of size 30

*(An investigator only gets to see one frame from this movie)*




# Two Samples, Dot+Box Plots

Population distributions: The unseen world



Plots for samples of size 30

*(An investigator only gets to see one frame from this movie)*




# Two Samples, Dot+Box Plots

Population distributions: The unseen world



Plots for samples of size 30

*(An investigator only gets to see one frame from this movie)*




# Two Samples, Dot+Box Plots

Population distributions: The unseen world



Plots for samples of size 30

*(An investigator only gets to see one frame from this movie)*






# Two Samples, Dot+Box Plots

Population distributions: The unseen world




Plots for samples of size 30

*(An investigator only gets to see one frame from this movie)*




# Two Samples, Dot+Box Plots

Population distributions: The unseen world



Plots for samples of size 30

*(An investigator only gets to see one frame from this movie)*




# Two Samples, Dot+Box Plots

Population distributions: The unseen world



Plots for samples of size 30

*(An investigator only gets to see one frame from this movie)*




# Two Samples, Dot+Box Plots

Population distributions: The unseen world



Plots for samples of size 30

*(An investigator only gets to see one frame from this movie)*




# Two Samples, Dot+Box Plots

Population distributions: The unseen world




**Plots for samples of size 30**

*(An investigator only gets to see one frame from this movie)*




# Two Samples, Dot+Box Plots

Population distributions: The unseen world




**Plots for samples of size 30**

*(An investigator only gets to see one frame from this movie)*




# Two Samples, Dot+Box Plots

Population distributions: The unseen world



Plots for samples of size 30

*(An investigator only gets to see one frame from this movie)*




# Two Samples, Dot+Box Plots

Population distributions: The unseen world



Plots for samples of size 30

*(An investigator only gets to see one frame from this movie)*






# Two Samples, Dot+Box Plots

Population distributions: The unseen world



Plots for samples of size 30

*(An investigator only gets to see one frame from this movie)*




# Two Samples, Dot+Box Plots

Population distributions: The unseen world



Plots for samples of size 30

*(An investigator only gets to see one frame from this movie)*




# Two Samples, Dot+Box Plots

Population distributions: The unseen world




Plots for samples of size 30

*(An investigator only gets to see one frame from this movie)*




# Two Samples, Dot+Box Plots

Population distributions: The unseen world



Plots for samples of size 30

*(An investigator only gets to see one frame from this movie)*




# Two Samples, Dot+Box Plots

Population distributions: The unseen world




Plots for samples of size 30

*(An investigator only gets to see one frame from this movie)*




# Two Samples, Dot+Box Plots

Population distributions: The unseen world



Plots for samples of size 30

*(An investigator only gets to see one frame from this movie)*



# Two Samples, Dot+Box Plots

Population distributions: The unseen world



Plots for samples of size 30

*(An investigator only gets to see one frame from this movie)*

