

DEPARTMENT OF STATISTICS  
Course STATS 330: Advanced Statistical Modelling  
Tutorial Sheet I: Week 2, 2012

This tutorial is designed to give you practice in the following:

- Logging on to the system
- Download a data file from the class web site
- Create an R data frame from the file
- Turn a numeric variable into a factor
- Draw some plots
- Get data into the spinner and spin it
- Make a Microsoft Word document containing text and graphics copied from R

In this tutorial we will be using the **petrol vapour data** on the website. It will also be discussed in class in Lecture 7.

**Task 1: Logging on**

Log on to the system. Open the My Documents folder on the desktop. Make a folder entitled 330 Data Sets

**Task 2: Download a data file**

Start Internet Explorer, and go to the course web page at

[www.stat.auckland.ac.nz/~lee/330](http://www.stat.auckland.ac.nz/~lee/330)

Click on **Data Sets**, and then click on **Petrol Vapour Data**

Save the data as a text file **vapour.txt** in the folder you made in Task 1.

**Task 3: Create a data frame**

Start R. Make a data frame **vapour.df** from the data in the text file you downloaded in **Task 2**, by typing

```
> vapour.df<-read.table(file.choose( ),header=TRUE)
```

and selecting the file **vapour.txt**. Type **vapour.df** to inspect the contents of the data frame.

**Task 4: Create a factor**

Suppose we want to divide the data into 2 groups: Group1 with values of **hc** less than 30, and group 2 the remaining data.

We can make a variable **group** having values 1 and 2 according as **hc** is less than 30 or not in various ways. One way is to create a vector **group** having values all 2, and then

modify it so that the observations for which **hc<30** have **group** reset to 1. The code to do this is

```
group = rep(2, 125) # this makes 125 repeats of the
value 2
# (there are 125 observations in the data set)
group[vapour.df$hc<30] = 1 # this is subsetting
```

The variable **group** is not a factor, but rather is a numeric vector. Suppose we want to turn it into a factor with “levels” Group1 and Group2. We type

```
group.factor = factor(group, labels=c("Group1", "Group2"))
```

To add this variable to the data frame (although this is not really necessary) you can type

```
vapour.df = data.frame(vapour.df, group.factor)
```

## Task 5: Make some plots

Draw the following plots:

- boxplots of **group.factor** versus **t.temp** (what happens if we plot **group** against **t.temp**?)

- a pairs plot

- a coplot of **t.temp** and **t.vp**, conditioning on **p.temp**

- using the (non-trellis) function **coplot**

- using the trellis function **xyplot**

- a 3-dimensional scatter plot of **t.temp**, **t.vp** and **p.temp**

### Points to note:

1. You will have to attach the data frame for some of the plots (otherwise the function can't find the data), better, use e.g. **vapour.df\$t.temp**
2. You will have to load the trellis library (actually called the lattice library in R) to get the **xyplot** function.
3. You will have to load the **scatterplot3d** library to get the **scatterplot3d** function.

### Sample code:

```
# for the boxplots
plot(group.factor, vapour.df$t.temp, ylab = "Tank
Temperature", xlab = "Group")
```

```
# or
```

```
plot(t.temp~group.factor, data=vapour.df, ylab = "Tank
Temperature", xlab= "Group")
```

```

# for the pairs plot
pairs(vapour.df)

# for the coplot, using the coplot function
coplot(t.temp~t.vp|p.temp, data=vapour.df)

# same using the trellis function xyplot
library(lattice)
xyplot(t.temp~t.vp|equal.count(p.temp), data=vapour.df)

# for the 3d scatterplot
library(scatterplot3d)
scatterplot3d(vapour.df$t.temp, vapour.df$t.vp,
vapour.df$p.temp, type="h")
library(lattice)
cloud(t.temp~t.vp*p.temp, data=vapour.df)

```

### **Task 6: Enter the data into the spinner, and spin the plot**

To get data into the spinner, re-arrange the data frame `vapour.df` so that the variable `hc` ( which we take as the response for this part) is the first variable in the data frame

```
vapour.v2.df = vapour.df[,c(5,1,2,3,4)]
```

To get the spinner, you have to load the “R330” package, using the packages menu in R. Then type

```

library(R330)
get the spinner by typing

reg3d(vapour.v2.df)

```

You can spin the picture with the mouse. Note that the first variable is taken as the response, and the next two as the other two explanatory variables.

### **Task 7: Make a Word Document containing the data and the 3-d scatterplot**

Open MS Word. In R, type `vapour.df` to get a listing of the data frame. Cut and past the first 10 observations of this data frame into Word. Then redraw the 3d scatter plot. Cut and paste this into Word. (Use Ctrl-W to copy and Ctrl-V to paste.) Print out the Word document.